

Customs Policy No. (DCP 48/2020)

On the conditions and procedures of implementation of the Free Trade Agreement between the GCC countries and the Republic of Singapore

سياسة جمركية رقم (DCP 48/2020)

بشأن شروط وضوابط تطبيق اتفاقية التجارة الحرة بين دول مجلس التعاون لدول الخليج العربية وجمهورية سنغافورة

Policy Details:

تفاصيل السياسة:

Further to Customs Policy No. 40/2015 issued on 31/12/2014; Pursuant to the Federal Customs Authority's communication no. FCA/CD/S/2020/381 dated 20/02/2020 concerning the complementary implementation of the Free Trade Agreement between the GCC countries and the Republic of Singapore; and Pursuant to Article 2.4 of the Agreement concerning the removal of customs duty on goods in Category B of Annex 1 to the Agreement after five years from the date of entry into force of the agreement and starting from the first day of the sixth year of its entry into force which corresponds to April 1st, 2020.

إلحاقاً للسياسة الجمركية رقم (2015/40) الصادرة بتاريخ 31/12/2014 وبناء على كتاب الهيئة الاتحادية للجمارك رقم هـ أ ج/ق ج/س/381/2020 بتاريخ 20/2/2020 بشأن استكمال تطبيق اتفاقية التجارة الحرة بين دول مجلس التعاون الخليجي وجمهورية سنغافورة، وعملاً بنص المادة (2.4) من الاتفاقية بخصوص إزالة الرسوم الجمركية عن السلع الواردة في الفئة B من الملحق رقم (1) من الاتفاقية بعد مرور خمس سنوات وابتداء من أول يوم للسنة السادسة لدخول الاتفاقية حيز التنفيذ وحيث أن أول يوم للسنة السادسة هو 2020/4/1.

The following has been decided:

فقد تقرر ما يلي:

Article (1)

المادة (1)

Paragraph 3 of Article 2 of the Customs Policy No. 40/2015 shall be amended to read as follows:

يعدل نص الفقرة (3) من المادة (2) من السياسة الجمركية رقم 40/2015 لتصبح كالتالي:

3. Goods of Singapore origin listed in Category B of Annex 1 to the Agreement shall be free of customs duty when imported directly from Singapore to GCC countries. The list of goods attached to this Policy is updated as per the HS Nomenclature 2017 edition.

3. تعفى من الرسوم الجمركية السلع ذات المنشأ السنغافوري المدرجة في الفئة (B) من الملحق رقم (1) من الاتفاقية عند استيرادها مباشرة إلى دول مجلس التعاون الخليجي والمبينة بقائمة السلع المحدثة وفقاً لبنود التعرفة الجمركية الموحدة إصدار 2017 المرفقة بهذه السياسة.

Article (2)

المادة (2)

This Policy shall come into force as of April 1st, 2020.

يُعمل بهذه السياسة اعتباراً من تاريخ 2020/04/01.

Ahmed Mahboob Musabih
Director General



أحمد محبوب مصباح
المدير العام

Issued on: 17/03/2020

صدرت بتاريخ: 17/03/2020



إكسبو 2020 دبي
الإمارات العربية المتحدة
DUBAI UNITED ARAB EMIRATES

داعم رسمي | Official Supporter

ص. ب. 63، دبي،
الإمارات العربية المتحدة
P.O. Box 63, Dubai,
United Arab Emirates

هاتف: +971 (4) 417 7777
فاكس: +971 (4) 417 6431

www.dubaicustoms.gov.ae
www.pcfc.ae

PCFC

الفئة (B) من الملحق رقم (1) من

إتفاقية التجارة الحرة بين مجلس التعاون لدول الخليج العربية وجمهورية سنغافورة

رمز النظام المنسق H.S CODE	الصف
03 05 32 00	- - أسماك من عائلة برجماسيروتيدا، جاديديا، ماكروريدا، ميلانونيدا، موريدا، و مورينوليبيديدا.
03 05 39 10	- - - سمك قرش (عوال).
03 05 39 90	- - - غيرها.
03 07 11 00	- - حي أو طازج أو مبرد
03 07 12 00	- - مجمد
03 07 19 00	- - غيرها
03 07 21 00	- - حي أو طازج أو مبرد
03 07 22 00	- - مجمد
03 07 29 00	- - غيرها
03 07 31 00	- - حي أو طازج أو مبرد
03 07 32 00	- - مجمد
03 07 39 00	- - غيرها
03 07 42 00	- - حي أو طازج أو مبرد
03 07 43 00	- - مجمد
03 07 49 00	- - غيرها
03 07 51 00	- - حي أو طازج أو مبرد
03 07 52 00	- - مجمد
03 07 59 00	- - غيرها
03 07 60 00	- حلزون (قواقع)، عدا حلزون (قواقع) البحر
03 07 91 00	- - حية أو طازجة أو مبردة
03 07 92 00	- - مجمد
03 07 99 00	- - غيرها
12 11 90 30	- - شطايا وقطع خشب العود وخشب الصندل وأخشاب بخور آخر
15 05 00 00	دهن الصوف ومواد دهنية مشتقة منه (بما في ذلك اللانولين).
15 14 19 00	- - غيرها
28 07 00 10	- - - حامض كبريتيك
32 08 10 10	- - - ورنيش
32 08 10 90	- - - غيرها
39 23 21 10	- - - قابلة للتحلل
39 23 21 90	- - - غيرها
39 24 90 90	- - - غيرها
40 10 19 00	- - غيرها
48 18 10 00	- ورق صحي

48 18 20 00	- مناديل، مناديل إزالة مواد التطرية ومناشف
96 19 00 20	- - - حفاظات نسائية
69 07 40 00	. خزف للتشطيب
72 01 10 00	- حديد صب (ظهر) غير مخلوط محتوى وزناً على 0,5% أو أقل من الفوسفور
72 01 20 00	- حديد صب (ظهر) غير مخلوط محتوى على أكثر من 0,5% وزناً من الفوسفور
72 01 50 00	- حديد صب (ظهر) مخلوط وحديد صب (سبيجل)
72 02 11 00	- - محتوية على أكثر من 2% وزناً من الكربون
72 02 19 00	- - غيرها
72 02 21 00	- - محتوية على أكثر من 55% وزناً من السيليكون
72 02 29 00	- - غيرها
72 02 30 00	- حديد - سيليكون - منجنيز
72 02 41 00	- - محتوية على أكثر من 4% وزناً من الكربون
72 02 49 00	- - غيرها
72 02 50 00	- حديد - سيليكون - كروم
72 02 60 00	- حديد - نيكل
72 02 70 00	- حديد - موليبدنيوم
72 02 80 00	- حديد - تنجستين ، حديد - سيليكون - تنجستين
72 02 91 00	- - حديد - تيتانيوم ، حديد - سيليكون - تيتانيوم
72 02 92 00	- - حديد - فاناديوم
72 02 93 00	- - حديد - نيوبيوم
72 02 99 00	- - غيرها
72 03 10 00	- منتجات حديدية متحصل عليها بالاختزال المباشر لخام الحديد
72 03 90 00	- غيرها
72 04 10 00	- خردة وفضلات من حديد صب (ظهر)
72 04 21 00	- - من صلب مقاوم للصدأ
72 04 30 00	- خردة وفضلات من حديد أو صلب مطلي بالقصدير
72 04 41 00	- - رقائق وشظايا وفضلات التفريز والخراطة ونشارة وبرادة وسواقط عمليتي البصم والتقطيع ، وإن كانت حزماً
72 04 49 00	- - غيرها
72 04 50 00	. سبائك (إينجوت) ناتجة عن إعادة لصهر الخردة
72 05 10 00	- حبيبات
72 05 21 00	.. من خلائط صلب
72 05 29 00	- - غيرها
72 06 10 00	- سبائك (إينجوت)
72 06 90 00	- غيرها
72 07 11 00	.. ذات مقطع عرضي مستطيل (بما فيه المربع) مقاس عرضه يساوي أقل من ضعفي سمكه
72 07 12 00	.. غيرها ، ذات مقطع عرضي مستطيل (عدا المربع)

72 07 19 00	- - غيرها
72 07 20 00	- محتوية على 0,25% وزناً أو أكثر من الكربون
72 08 10 00	- بشكل لفات ، غير مشغولة أكثر من التجليخ بالحرارة ، ذات علامات سطحية بارزة
72 08 25 00	- - بسمك 4,75 مم أو أكثر
72 08 26 00	- - بسمك 3 مم أو أكثر ولكن يقل عن 4,75 مم
72 08 27 00	- - بسمك أقل من 3 مم
72 08 36 00	- - بسمك يزيد عن 10 مم
72 08 37 00	- - بسمك 4,75 مم أو أكثر ولا يتجاوز 10 مم
72 08 38 00	- - بسمك 3 مم أو أكثر ولكن يقل عن 4,75 مم
72 08 39 00	- - بسمك أقل من 3 مم
72 08 40 00	- بشكل غير اللفات ، غير مشغولة بأكثر من التجليخ بالحرارة ، ذات علامات سطحية بارزة
72 08 51 00	- - بسمك يزيد عن 10 مم
72 08 52 00	- - بسمك 4,75 مم أو أكثر ولكن لا يتجاوز 10 مم
72 08 53 00	- - بسمك 3 مم أو أكثر ولكن يقل عن 4,75 مم
72 08 54 00	- - بسمك أقل من 3 مم
72 08 90 00	- غيرها
72 09 15 00	- - بسمك 3 مم أو أكثر
72 09 16 00	- - بسمك يزيد عن 1 مم ولكن يقل عن 3 مم
72 09 17 00	- - بسمك 0,5 مم أو أكثر ولكن لا يتجاوز 1 مم
72 09 18 00	- - بسمك أقل من 0,5 مم
72 09 25 00	- - بسمك 3 مم أو أكثر
72 09 26 00	- - بسمك يزيد عن 1 مم ولكن يقل عن 3 مم
72 09 27 00	- - بسمك 0,5 مم أو أكثر ولكن لا يتجاوز 1 مم
72 09 28 00	- - بسمك أقل من 0,5 مم
72 09 90 00	- غيرها
72 10 20 00	- مطلية أو مغطاه بالرصاص ، بما فيها المطلية بخليط من الرصاص والقصدير
72 10 30 00	- مطلية أو مغطاه بالزنك بطريقة التحليل الكهربائي
72 10 41 00	- - مموجة
72 10 50 00	- مطلية أو مغطاة بأكسيد الكروم أو بالكروم مع أكاسيد الكروم
72 10 61 00	- - مطلية أو مغطاة بخليط زنك - ألومنيوم
72 10 69 00	- - غيرها
72 10 70 00	- مدهونة أو مورنشة أو مغطاة بلدائن
72 11 13 00	- - مجلخة على جوانبها الأربع داخل مجاري مقفلة ، بعرض يزيد عن 150 مم وبسمك لا يقل عن 4 مم ، ليست بشكل لفات وبدون علامات سطحية بارزة
72 11 14 00	- - غيرها ، بسمك 4,75 مم أو أكثر
72 11 19 00	- - غيرها

72 11 23 00	- - تحتوي على أقل من 0,25% وزناً من الكربون
72 11 29 00	- - غيرها
72 11 90 00	- غيرها
72 12 10 00	- مطلية أو مغطاه بالقصدير
72 12 20 00	- مطلية أو مغطاه بالزنك بطريقة التحليل الكهربائي
72 12 30 00	- مطلية أو مغطاه بالزنك بطرق أخرى
72 12 40 00	- مدهونة أو مورنشة أو مغطاه بلدائن
72 12 50 00	- مطلية أو مغطاه بطرق أخرى
72 12 60 00	- مكسوة
72 13 10 00	- تحتوي على تسينات أو تضليعات أو حوز أو غيرها من التشكيلات الناتجة أثناء عملية التجليخ
72 13 20 00	- غيرها ، من صلب سهل القطع
72 13 91 00	- - ذات مقطع عرضي دائري قطره أقل من 14 مم
72 13 99 00	- - غيرها
72 14 10 00	- مطروقة:
72 14 10 30	- - - ذات مقطع عرضي دائري أقل من 8 مم
72 14 10 40	- - - ذات مقطع عرضي دائري من 8 مم - 40 مم
72 14 10 90	- - - غيرها
72 14 20 00	- محتوية على تسينات أو تضليعات أو حوز أو غيرها من التشكيلات الناتجة أثناء عملية التجليخ أو مفتولة بعد التجليخ:
72 14 20 30	- - - ذات مقطع عرضي دائري أقل من 8 مم
72 14 20 40	- - - ذات مقطع عرضي دائري من 8 مم - 40 مم
72 14 20 90	- - - غيرها
72 14 30 00	- غيرها من صلب سهل القطع:
72 14 30 30	- - - ذات مقطع عرضي دائري أقل من 8 مم
72 14 30 40	- - - ذات مقطع عرضي دائري من 8 مم - 40 مم
72 14 30 90	- - - غيرها
72 14 91 00	.. ذات مقطع عرضي مستطيل (عدا المربع)
72 14 99 00	- - غيرها
72 15 10 00	- من صلب سهل القطع ، غير مشغول بأكثر من التشكيل أو التجهيز على البارد :
72 15 10 30	- - - ذات مقطع عرضي دائري أقل من 8 مم
72 15 10 40	- - - ذات مقطع عرضي دائري من 8 مم - 40 مم
72 15 10 90	- - - غيرها
72 15 50 00	- غيرها ، غير مشغولة بأكثر من التشكيل أو التجهيز على البارد :
72 15 50 30	- - - ذات مقطع عرضي دائري أقل من 8 مم
72 15 50 40	- - - ذات مقطع عرضي دائري من 8 مم - 40 مم
72 15 50 90	- - - غيرها
72 15 90 00	- غيرها:

72 15 90 30	- - - ذات مقطع عرضي دائري أقل من 8 مم
72 15 90 40	- - - ذات مقطع عرضي دائري من 8 مم - 40 مم
72 15 90 90	- - - غيرها
72 16 10 00	. مقطعها بشكل حرف U أو I أو H ، غير مشغول بأكثر من التجليخ أو السحب أو البثق بالحرارة و بارتفاع أقل من 80 مم
72 16 21 00	- - مقطعها بشكل حرف L
72 16 22 00	- - مقطعها بشكل حرف T
72 16 31 00	- - مقطعها بشكل حرف U:
72 16 31 10	- - - بارتفاع 80 مم أو أكثر بما لا يزيد عن 220م
72 16 31 20	- - - بارتفاع يزيد عن 220مم
72 16 32 00	- - مقطعها بشكل حرف I:
72 16 32 10	- - - بارتفاع 80 مم أو أكثر بما لا يزيد عن 220م
72 16 32 20	- - - بارتفاع يزيد عن 220مم
72 16 33 00	- - مقطعها بشكل حرف H;
72 16 33 10	- - - بارتفاع 80 مم أو أكثر بما لا يزيد عن 220م
72 16 33 20	- - - بارتفاع يزيد عن 220مم
72 16 40 00	- مقطعها بشكل حرف L أو T ، غير مشغولة بأكثر من التجليخ أو السحب أو البثق بالحرارة ، وبارتفاع 80 مم أو أكثر:
72 16 40 10	- - - بارتفاع 80 مم أو أكثر بما لا يزيد عن 220م
72 16 40 20	- - - بارتفاع يزيد عن 220مم
72 16 50 00	- زوايا وأشكال خاصة و مقاطع ، غير مشغولة بأكثر من التجليخ أو السحب أو البثق بالحرارة
72 16 61 00	- - متحصل عليها من منتجات مسطحة بالتجليخ
72 16 69 00	- - غيرها
72 16 91 00	- - مشكلة أو مجهزة على البارد ، من منتجات مسطحة بالتجليخ
72 16 99 00	- - غيرها
72 17 10 00	- غير مطلية أو مغطاه ، وإن كانت مصقولة
72 17 20 00	- مطلية أو مغطاه بالزنك
72 17 30 00	- مطلية أو مغطاه بمعادن عادية آخر
72 17 90 00	- غيرها
72 18 10 00	- سبائك وأشكال أولية آخر
72 18 91 00	- - ذات مقطع عرضي مستطيل (عدا المربع)
72 18 99 00	- - غيرها
72 19 11 00	- - بسمك يزيد عن 10 مم
72 19 12 00	- - بسمك 4,75 مم أو أكثر ولا تتجاوز 10 مم
72 19 13 00	- - بسمك 3 مم أو أكثر ولكن يقل عن 4,75 مم
72 19 14 00	- - بسمك أقل من 3 مم
72 19 21 00	- - بسمك يزيد عن 10 مم

- - بسمك 4,75 مم أو أكثر ولا تتجاوز 10 مم	72 19 22 00
- - بسمك 3 مم أو أكثر ولكن يقل عن 4,75 مم	72 19 23 00
- - بسمك أقل من 3 مم	72 19 24 00
- - بسمك 4,75 مم أو أكثر	72 19 31 00
- - بسمك 3 مم أو أكثر ولكن يقل عن 4,75 مم	72 19 32 00
- - بسمك يزيد عن 1 مم ولكن يقل عن 3 مم	72 19 33 00
- - بسمك 0,5 مم أو أكثر ولا تتجاوز 1 مم	72 19 34 00
- - بسمك أقل من 0,5 مم	72 19 35 00
- غيرها	72 19 90 00
- - بسمك 4,75 مم أو أكثر	72 20 11 00
- - بسمك يقل عن 4,75 مم	72 20 12 00
- غيرها	72 20 90 00
قضبان وعيدان ، مجلخة بالحرارة ، بشكل لفات غير منتظمة اللف ، من صلب مقاوم للصدأ.	72 21 00 00
- - ذات مقطع عرضي دائري	72 22 11 00
- - غيرها	72 22 19 00
- قضبان وعيدان ، غير مشغولة بأكثر من التشكيل أو التجهيز على البارد	72 22 20 00
أسلاك من صلب مقاوم للصدأ .	72 23 00 00
- سبائك وأشكال أولية آخر	72 24 10 00
- غيرها	72 24 90 00
- - ذات حبيبات موجهه	72 25 11 00
- - غيرها	72 25 19 00
- غيرها ، غير مشغولة بأكثر من التجليل بالحرارة ، بشكل لفات	72 25 30 00
- غيرها ، غير مشغولة بأكثر من التجليل بالحرارة ، بشكل غير اللفات	72 25 40 00
- غيرها ، غير مشغولة بأكثر من التجليل على البارد	72 25 50 00
- - مطلية أو مغطاه بالزنك ، بطريقة التحليل الكهربائي	72 25 91 00
- - مطلية أو مغطاه بالزنك بطرق أخرى	72 25 92 00
- - غيرها	72 25 99 00
- - ذات حبيبات موجهه	72 26 11 00
- - غيرها	72 26 19 00
. من صلب سريع القطع (متحمل للسرعات العالية)	72 26 20 00
- - غير مشغولة بأكثر من التجليل بالحرارة	72 26 91 00
- - غير مشغولة بأكثر من التجليل على البارد	72 26 92 00
- - غيرها	72 26 99 00
. من صلب سريع القطع (للسرعات العالية)	72 27 10 00
- من صلب السيليكو - منجنيز	72 27 20 00
- غيرها	72 27 90 00
. قضبان وعيدان من صلب سريع القطع (للسرعات العالية):	72 28 10 00

72 28 10 10	--- ذات مقطع عرضي دائري أقل من 8 مم
72 28 10 20	--- ذات مقطع عرضي دائري من 8 مم - 40 مم
72 28 10 90	--- غيرها
72 28 20 00	- قضبان وعيدان ، من صلب السيليكون - منجنيز :
72 28 20 10	--- ذات مقطع عرضي دائري أقل من 8 مم
72 28 20 20	--- ذات مقطع عرضي دائري من 8 مم - 40 مم
72 28 20 90	--- غيرها
72 28 30 00	- قضبان وعيدان آخر ، غير مشغولة بأكثر من التجليخ أو السحب أو البثق بالحرارة:
72 28 30 10	--- ذات مقطع عرضي دائري أقل من 8 مم
72 28 30 20	--- ذات مقطع عرضي دائري من 8 مم - 40 مم
72 28 30 90	--- غيرها
72 28 40 00	- قضبان وعيدان آخر ، غير مشغولة بأكثر من الطرق :
72 28 40 10	--- ذات مقطع عرضي دائري أقل من 8 مم
72 28 40 20	--- ذات مقطع عرضي دائري من 8 مم - 40 مم
72 28 40 90	--- غيرها
72 28 50 00	- قضبان وعيدان آخر ، غير مشغولة بأكثر من التشكيل أو التجهيز على البارد :
72 28 50 10	--- ذات مقطع عرضي دائري أقل من 8 مم
72 28 50 20	--- ذات مقطع عرضي دائري من 8 مم - 40 مم
72 28 50 90	--- غيرها
72 28 70 00	. زوايا أشكال خاصة ومقاطع
72 28 80 00	. قضبان وعيدان مجوفة للحفر
72 29 20 00	- من صلب السيليكون - منجنيز
72 29 90 00	- غيرها
73 04 31 00	-- مسحوبة أو مجلخة على البارد
73 05 11 00	.. ملحومة طولياً بالقوس المغمور
73 05 19 00	-- غيرها
73 05 39 00	-- غيرها
87 03 23 11	---- موديل سنة التخليص أو السنة التي تليها
87 03 24 31	---- موديل سنة التخليص أو السنة التي تليها
87 04 31 20	--- شاحنات صغيرة (وانيت) بيك أب بغمارتين ، جاهزة
90 18 31 90	--- غيرها
90 18 90 90	--- غيرها
90 30 31 00	.. أجهزة قياس متعددة الأغراض (مولتيميتر) بدون أداة تسجيل

Category B/Annex (1)
OF the Free Trade Agreement between GCC States and Singapore

H.S CODE	Description
03 05 32 00	- - Fish of the families Bregmacerotidae, Euclichthyidae, Gadidae, Macrouridae, Melanonidae, Merlucciidae, Moridae and Muraenolepididae
03 05 39 10	- - - Sharks
03 05 39 90	- - - Other
03 07 11 00	- - Live, fresh or chilled
03 07 12 00	- - frozen
03 07 19 00	- - Other
03 07 21 00	- - Live, fresh or chilled
03 07 22 00	- - frozen
03 07 29 00	- - Other
03 07 31 00	- - Live, fresh or chilled
03 07 32 00	- - frozen
03 07 39 00	- - Other
03 07 42 00	- - Live, fresh or chilled
03 07 43 00	- - frozen
03 07 49 00	- - Other
03 07 51 00	- - Live, fresh or chilled
03 07 52 00	- - frozen
03 07 59 00	- - Other
03 07 60 00	- Snails, other than sea snails
03 07 91 00	- - Live, fresh or chilled
03 07 92 00	- - frozen
03 07 99 00	- - Other
12 11 90 30	- - - Chips and pieces of aloeswood, and other aromatic woods
15 05 00 00	Wool grease and fatty substances derived therefrom (including lanolin).
15 14 19 00	- - Other
28 07 00 10	- - - Sulphuric acid
32 08 10 10	- - - Varnish
32 08 10 90	- - - Other
39 23 21 10	- - Biodegradable of polymers of ethylene
39 23 21 90	- - - Other
39 24 90 90	- - - Other
40 10 19 00	- - Other
48 18 10 00	- Toilet paper
48 18 20 00	- Handkerchiefs, cleansing or facial tissues and towels
96 19 00 20	- - - Sanitary towels for women
69 07 40 00	- Finishing ceramics

72 01 10 00	- Non-alloy pig iron containing by weight 0.5% or less of phosphorus:
72 01 20 00	- Non-alloy pig iron containing by weight more than 0.5% of phosphorus
72 01 50 00	- Alloy pig iron; spiegeleisen
72 02 11 00	- - Containing by weight more than 2% of carbon
72 02 19 00	- - Other
72 02 21 00	- - Containing by weight more than 55% of silicon
72 02 29 00	- - Other
72 02 30 00	- Ferro-silico-manganese
72 02 41 00	- - Containing by weight more than 4% of carbon
72 02 49 00	- - Other
72 02 50 00	- Ferro-silico-chromium
72 02 60 00	- Ferro-nickel
72 02 70 00	- Ferro-molybdenum
72 02 80 00	- Ferro-tungsten and ferro-silico-tungsten
72 02 91 00	- - Ferro-titanium and ferro-silico-titanium
72 02 92 00	- - Ferro-vanadium
72 02 93 00	- - Ferro-niobium
72 02 99 00	- - Other
72 03 10 00	- Ferrous products obtained by direct reduction of iron ore
72 03 90 00	- Other
72 04 10 00	- Waste and scrap of cast iron
72 04 21 00	- - Of stainless steel
72 04 30 00	- Waste and scrap of tinned iron or steel
72 04 41 00	- - Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles
72 04 49 00	- - Other
72 04 50 00	- Remelting scrap Ingots
72 05 10 00	- Granules
72 05 21 00	- - Of alloy steel
72 05 29 00	- - Other
72 06 10 00	- Ingots
72 06 90 00	- Other
72 07 11 00	- - of rectangular (including square) cross-section, the width measuring less than twice the thickness
72 07 12 00	- - Other, of rectangular (other than square) cross-section
72 07 19 00	- - Other
72 07 20 00	- Containing by weight 0.25% or more of carbon
72 08 10 00	- in coils, not further worked than hot-rolled, with patterns in relief
72 08 25 00	- - Of a thickness of 4.75 mm or more
72 08 26 00	- - Of a thickness of 3 mm or more but less than 4.75 mm
72 08 27 00	- - Of a thickness of less than 3 mm
72 08 36 00	- - Of a thickness exceeding 10 mm
72 08 37 00	- - Of a thickness of 4.75 mm or more but not exceeding 10 mm
72 08 38 00	- - Of a thickness of 3 mm or more but less than 4.75 mm
72 08 39 00	- - Of a thickness of less than 3 mm

72 08 40 00	- Not in coils, not further worked than hot-rolled, with patterns in relief
72 08 51 00	- - Of a thickness exceeding 10 mm
72 08 52 00	- - Of a thickness of 4.75 mm or more but not exceeding 10 mm
72 08 53 00	- - Of a thickness of 3 mm or more but less than 4.75 mm
72 08 54 00	- - Of a thickness of less than 3 mm
72 08 90 00	- Other
72 09 15 00	- - Of a thickness of 3 mm or more
72 09 16 00	- - Of a thickness exceeding 1 mm but less than 3 mm
72 09 17 00	- - Of a thickness of 0.5 mm or more but not exceeding 1 mm
72 09 18 00	- - Of a thickness of less than 0.5 mm
72 09 25 00	- - Of a thickness of 3 mm or more
72 09 26 00	- - Of a thickness exceeding 1 mm but less than 3 mm
72 09 27 00	- - Of a thickness of 0.5 mm or more but not exceeding 1 mm
72 09 28 00	- - Of a thickness of less than 0.5 mm
72 09 90 00	- Other
72 10 20 00	- Plated or coated with lead, including terne-plate
72 10 30 00	- Electrolytically plated or coated with zinc
72 10 41 00	- - Corrugated
72 10 50 00	- Plated or coated with chromium oxides or with chromium and chromium oxides
72 10 61 00	- - Plated or coated with aluminium-zinc alloys
72 10 69 00	- - Other
72 10 70 00	- Painted, varnished or coated with plastics
72 11 13 00	- - Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief
72 11 14 00	- - Other, of a thickness of 4.75 mm or more
72 11 19 00	- - Other
72 11 23 00	- - Containing by weight less than 0.25% of carbon
72 11 29 00	- - Other
72 11 90 00	- Other
72 12 10 00	- Plated or coated with tin
72 12 20 00	- Electrolytically plated or coated with zinc
72 12 30 00	- Otherwise plated or coated with zinc
72 12 40 00	- Painted, varnished or coated with plastics
72 12 50 00	- Otherwise plated or coated
72 12 60 00	- Clad
72 13 10 00	- Containing indentations, ribs, grooves or other deformations produced during the rolling process
72 13 20 00	- Other, of free-cutting steel
72 13 91 00	- - Of circular cross-section measuring less than 14 mm in diameter
72 13 99 00	- - Other
72 14 10 00	- Forged
72 14 10 30	- - - Of circular cross-section measuring less than 8mm in diameter
72 14 10 40	- - - Of circular cross-section measuring 8-40 mm in diameter
72 14 10 90	- - - Other

72 14 20 00	- Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling
72 14 20 30	- - - Of circular cross-section measuring less than 8mm in diameter
72 14 20 40	- - - Of circular cross-section measuring 8-40 mm in diameter
72 14 20 90	- - - Other
72 14 30 00	- Other, of free-cutting steel
72 14 30 30	- - - Of circular cross-section measuring less than 8mm in diameter
72 14 30 40	- - - Of circular cross-section measuring 8-40 mm in diameter
72 14 30 90	- - - Other
72 14 91 00	- - Of rectangular (other than square) cross-section
72 14 99 00	- - Other
72 15 10 00	- Of free-cutting steel, not further worked than cold-formed or cold-finished
72 15 10 30	- - - Of circular cross-section measuring less than 8mm in diameter
72 15 10 40	- - - Of circular cross-section measuring 8-40 mm in diameter
72 15 10 90	- - - Other
72 15 50 00	- Other, not further worked than cold-formed or cold-finished
72 15 50 30	- - - Of circular cross-section measuring less than 8mm in diameter
72 15 50 40	- - - Of circular cross-section measuring 8-40 mm in diameter
72 15 50 90	- - - Other
72 15 90 00	- Other
72 15 90 30	- - - Of circular cross-section measuring less than 8mm in diameter
72 15 90 40	- - - Of circular cross-section measuring 8-40 mm in diameter
72 15 90 90	- - - Other
72 16 10 00	- U, I or H sections, not further worked than hot-rolled, hotdrawn or extruded, of a height of less than 80 mm
72 16 21 00	- - L sections
72 16 22 00	- - T sections
72 16 31 00	- - U sections
72 16 31 10	Of a height of 80 mm or more, but not exceeding 220 mm - - -
72 16 31 20	Of a height exceeding 220 mm - - -
72 16 32 00	- - I sections
72 16 32 10	Of a height of 80 mm or more, but not exceeding 220 mm - - -
72 16 32 20	Of a height exceeding 220 mm - - -
72 16 33 00	- - H sections
72 16 33 10	Of a height of 80 mm or more, but not exceeding 220 mm - - -
72 16 33 20	Of a height exceeding 220 mm - - -
72 16 40 00	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more
72 16 40 10	Of a height of 80 mm or more, but not exceeding 220 mm - - -
72 16 40 20	Of a height exceeding 220 mm - - -
72 16 50 00	- Other angles, shapes and sections, not further worked than hotrolled, hot-drawn or extruded
72 16 61 00	- - Obtained from flat-rolled products
72 16 69 00	- - Other
72 16 91 00	- - Cold-formed or cold-finished from flat-rolled products

72 16 99 00	- - Other
72 17 10 00	- Not plated or coated, whether or not polished
72 17 20 00	- Plated or coated with zinc
72 17 30 00	- Plated or coated with other base metals
72 17 90 00	- Other
72 18 10 00	- Ingots and other primary forms
72 18 91 00	- - Of rectangular (other than square) cross-section
72 18 99 00	- - other
72 19 11 00	- - Of a thickness exceeding 10 mm
72 19 12 00	- - Of a thickness of 4.75 mm or more but not exceeding 10 mm
72 19 13 00	- - Of a thickness of 3 mm or more but less than 4.75 mm
72 19 14 00	- - Of a thickness of less than 3 mm
72 19 21 00	- - Of a thickness exceeding 10 mm
72 19 22 00	- - Of a thickness of 4.75 mm or more but not exceeding 10 mm
72 19 23 00	- - Of a thickness of 3 mm or more but less than 4.75 mm
72 19 24 00	- - Of a thickness of less than 3 mm
72 19 31 00	- - Of a thickness of 4.75 mm or more
72 19 32 00	- - Of a thickness of 3 mm or more but less than 4.75 mm
72 19 33 00	- - Of a thickness exceeding 1 mm but less than 3 mm
72 19 34 00	- - Of a thickness of 0.5 mm or more but not exceeding 1 mm
72 19 35 00	- - Of a thickness of less than 0.5 mm
72 19 90 00	- Other
72 20 11 00	- - Of a thickness of 4.75 mm or more
72 20 12 00	- - Of a thickness of less than 4.75 mm
72 20 90 00	- Other
72 21 00 00	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel.
72 22 11 00	- - Of circular cross-section
72 22 19 00	- - Other
72 22 20 00	- Bars and rods, not further worked than cold-formed or cold-finished
72 23 00 00	Wire of stainless steel.
72 24 10 00	- Ingots and other primary forms
72 24 90 00	- Other
72 25 11 00	- - Grain-oriented
72 25 19 00	- - Other
72 25 30 00	- Other, not further worked than hot-rolled, in coils
72 25 40 00	- Other, not further worked than hot-rolled, not in coils
72 25 50 00	- Other, not further worked than cold-rolled (cold-reduced)
72 25 91 00	- - Electrolytically plated or coated with zinc
72 25 92 00	- - Otherwise plated or coated with zinc
72 25 99 00	- - Other
72 26 11 00	- - Grain-oriented
72 26 19 00	- - Other
72 26 20 00	- Of high speed steel
72 26 91 00	- - Not further worked than hot-rolled
72 26 92 00	- - Not further worked than cold-rolled (cold-reduced)

72 26 99 00	- - Other
72 27 10 00	- Of high speed steel
72 27 20 00	- Of silico-manganese steel
72 27 90 00	- Other
72 28 10 00	- Bars and rods, of high speed steel
72 28 10 10	- - - Of circular cross-section measuring less than 8mm in diameter
72 28 10 20	- - - Of circular cross-section measuring 8-40 mm in diameter
72 28 10 90	- - - Other
72 28 20 00	- Bars and rods, of silico-manganese steel
72 28 20 10	- - - Of circular cross-section measuring less than 8mm in diameter
72 28 20 20	- - - Of circular cross-section measuring 8-40 mm in diameter
72 28 20 90	- - - Other
72 28 30 00	- Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded
72 28 30 10	- - - Of circular cross-section measuring less than 8mm in diameter
72 28 30 20	- - - Of circular cross-section measuring 8-40 mm in diameter
72 28 30 90	- - - Other
72 28 40 00	- Other bars and rods, not further worked than forged
72 28 40 10	- - - Of circular cross-section measuring less than 8mm in diameter
72 28 40 20	- - - Of circular cross-section measuring 8-40 mm in diameter
72 28 40 90	- - - Other
72 28 50 00	- Other bars and rods, not further worked than cold-formed or cold-finished
72 28 50 10	- - - Of circular cross-section measuring less than 8mm in diameter
72 28 50 20	- - - Of circular cross-section measuring 8-40 mm in diameter
72 28 50 90	- - - Other
72 28 70 00	- Angles, shapes and sections
72 28 80 00	- Hollow drill bars and rods
72 29 20 00	- Of silico-manganese steel
72 29 90 00	- Other
73 04 31 00	- - Cold-drawn or cold-rolled (cold-reduced)
73 05 11 00	- - Longitudinally submerged arc welded
73 05 19 00	- - Other
73 05 39 00	- - Other
87 03 23 11	- - - - The year clearing or subsequent of the year
87 03 24 31	- - - - The year clearing or subsequent of the year
87 04 31 20	- - - Pickups two cab, ready
90 18 31 90	- - - Other
90 18 90 90	- - - Other
90 30 31 00	- - Multimeters without a recording device